

SHELDON

February 17, 1947

Add 10%
to all motor prices
June 1, 1947

Price List

G-45 CATALOG

SHELDON

Precision Lathes • Accessories and Attachments

SHELDON
Vernon

Vertical Milling Machines and Jig Borers

Horizontal Milling Machines • Shapers

Accessories and Attachments

General Information

All prices are subject to an increase equal to the amount of any Federal, State or Local Taxes which may be imposed.

• Prices quoted are firm and apply to all shipments which may be effected within four months from date of order, but if for any reason delivery is extended more than four months from date of order it is understood that prices in effect at time of shipment will be used for invoicing, provided, however, that said prices do not in any case exceed the maximum prices prevailing at that time, as determined by the Office of Price Administration.

All list prices, discounts and terms are subject to change without notice.

Orders shall be accepted with the express understanding that in event of a request to stop work or to cancel any part of the order, such request shall be accepted on the following conditions:

Any items which upon receipt of such notice are within thirty calendar days of completion shall be paid for in full. Unless otherwise advised, all items within thirty calendar days of completion shall be completed within that time, and failure to complete such items within thirty calendar days, unless otherwise agreed upon, shall be prima facie evidence that such items were

not within thirty calendar days of completion. All items not within thirty calendar days of completion shall be paid for on the basis of the actual cost of labor, materials and supplies applied to the production of such items, and proper overhead expenses determined in accordance with good Certified Public Accountants practice, plus 12% of such cost and expenses, provided that such cost and expenses plus 12% shall in no case exceed 90% of the quoted price of such items.

Base prices of all Lathes includes the following:

Necessary Belts	Small Dog Plate
Tool Post Complete	Thread Chasing Dia
Headstock Center	Tailstock Center
Center Sleeve	Necessary Wrenches
Book "The Care and Operation of a Lathe"	

Base price of Underneath Motor Drive Lathes also includes Reversing Drum Switch (Not included in price of Overhead Motor Drive.)

Prices quoted herein include packing and crating for domestic shipment to any point in the Continental United States, Canada, or Mexico, but do not include boxing and packaging for export shipment. All prices F.O.B. factory.

SHELDON MACHINE CO. Inc.

Manufacturers of Sheldon Precision Lathes • Milling Machines • Shapers

4258 N. KNOX AVENUE • CHICAGO 41, ILLINOIS, U. S. A.





TELEPHONE: MULBERRY 1970 • CABLE ADDRESS: SHELDONCO

SHELDON
Vernon

SHELDON







11" LATHES WITH STEEL BENCH

As illustrated Page 2 of G-45 Catalog

	Stock Number	DESCRIPTION	Price	Shipping Weight
	S-56	Complete with 5-drawer steel bench and switch, as illustrated less motor E	930.00	1000 lbs.
	S-44	Complete with 4-drawer steel bench and switch, less motor E	876.00	950 lbs.
	TRBS-56	Same as S-56 illustrated, but with tapered roller bearing headstock (Complete with 5-drawer steel bench and switch) less motor E	1000.00	1000 lbs.
	TRBS-44	Same as S-44 described on page 2 of G-45 catalog with tapered roller bearing headstock (Complete with 4-drawer steel bench and switch less motor E	946.00	950 lbs.
		Add for motor 374, 3/4 H.P., 220/440 volt, 3 phase, 60 cycle . . F	48.00	
		or motor 174, 3/4 H.P., 110/220 volt, 1 phase, 60 cycle . . F	48.00	
		or motor 380, 1 H.P., 220/440 volt, 3 phase, 60 cycle . . F	56.00	
		or motor 180, 1 H.P., 110/220 volt, 1 phase, 60 cycle . . F	60.00	
		When "U" drive shown on page 5 of the catalog is wanted, add "U" to stock number and add to price above E	54.00	

11" LATHES WITH PEDESTAL BASE

As illustrated Page 3 of G-45 Catalog

	Stock Number	DESCRIPTION	Price	Shipping Weight
	S-70P	As illustrated, mounted on pedestal (P) base with switch, less motor, less chip pan E	877.00	1000 lbs.
		Add for chip pan, as illustrated E	42.00	
	S-56P	As illustrated, mounted on pedestal (P) base, except 56" bed, with switch, less motor, less chip pan E	804.00	975 lbs.
		Add for chip pan E	33.60	
	S-44P	As illustrated, mounted on pedestal (P) base, except 44" bed, with switch, less motor, less chip pan E	768.00	950 lbs.
		Add for chip pan E	31.20	
	TRBS-70P	Same as S-70P illustrated, except with tapered roller bearing headstock less motor, less chip pan E	947.00	1000 lbs.
		Add for chip pan	42.00	
	TRBS-56P	Same as S-56P described above, except with tapered roller bearing headstock less motor, less chip pan . . . E	874.00	975 lbs.
		Add for chip pan	33.60	
	TRBS-44P	Same as S-44P described above, except with tapered roller bearing headstock less motor, less chip pan . . . E	838.00	950 lbs.
		Add for chip pan	31.20	
		Add for motor 374, 3/4 H.P., 220/440 volt, 3 phase, 60 cycle . . F	48.00	
		or motor 174, 3/4 H.P., 110/220 volt, 1 phase, 60 cycle . . F	48.00	
		or motor 380, 1 H.P., 220/440 volt, 3 phase, 60 cycle . . F	56.00	
		or motor 180, 1 H.P., 110/220 volt, 1 phase, 60 cycle . . F	60.00	
		When "U" drive shown on page 5 of the catalog is wanted, add "U" to stock number and add to price above E	54.00	

SHELDON

11" LATHES

Not illustrated in G-45 Catalog

E	Stock Number	Center Length	Bed Length	Price	Add for Chip Pan	Shipping Weight
Bench legs, Overhead Motor Drive, Bronze Bearing Headstock						
	1124BMWQ	24"	44"	675.00	—	515 lbs.
	1136BMWQ	35"	56"	715.00	—	561 lbs.
	1148BMWQ	48"	70"	756.00	—	670 lbs.
Bench legs, Overhead Motor Drive, Tapered Roller Bearing Headstock						
	TRB1124BMWQ	24"	44"	745.00	—	515 lbs.
	TRB1136BMWQ	35"	56"	785.00	—	561 lbs.
	TRB1148BMWQ	48"	70"	826.00	—	670 lbs.
Floor Legs, Overhead Motor Drive, Bronze Bearing Headstock						
	1124FMWQ	24"	44"	709.00	31.20	600 lbs.
	1136FMWQ	35"	56"	750.00	33.60	645 lbs.
	1148FMWQ	48"	70"	789.00	42.00	755 lbs.
Floor Legs, Overhead Motor Drive, Tapered Roller Bearing Headstock						
	TRB1124FMWQ	24"	44"	779.00	31.20	600 lbs.
	TRB1136FMWQ	35"	56"	820.00	33.60	645 lbs.
	TRB1148FMWQ	48"	70"	859.00	42.00	755 lbs.
Pedestal Base and One Floor Leg, Underneath U type Drive (See page 5 G-45 catalog) Bronze Bearing Headstock, without Motor and Chip Pan						
	U S-44P	24"	44"	822.00	31.20	875 lbs.
	U S-56P	35"	56"	858.00	33.60	925 lbs.
	U S-70P	48"	70"	931.00	42.00	1025 lbs.
Pedestal Base and One Floor Leg, Underneath U type Drive (See page 5 G-45 catalog) Tapered Roller Bearing Headstock, without Motor and Chip Pan						
	TRBU S-44P	24"	44"	892.00	31.20	875 lbs.
	TRBU S-56P	35"	56"	928.00	33.60	925 lbs.
	TRBU S-70P	48"	70"	1001.00	42.00	1025 lbs.
Lathe mounted on Steel Bench, Underneath U type Drive. (See page 5 G-45 catalog) Tapered Roller Bearing Headstock, without Motor						
	TRBU S-44	24"	44"	1000.00	—	975 lbs.
	TRBU S-56	35"	56"	1054.00	—	1025 lbs.

Motors for Sheldon Machine Tools



F	Size Lathe	H. P.	R.P.M.	Volts	Phase	Cat. No.	Price
	10"	1/3	1725	220	3	358	\$32.00
	10"	1/3	1725	110/220	1	158	32.00
	10"	1/2	1725	220/440	3	368	40.00
	10"	1/2	1725	110/220	1	164	37.00
	11"	3/4	1725	220/440	3	374	48.00
	11"	3/4	1725	110/220	1	174	48.00
	11" and 12"	1	1725	220/440	3	380	56.00
	11" and 12"	1	1725	110/220	1	180	60.00

For special motors add 10% for special voltage, 10% for special cycle, and 10% for special phase. Three phase, 60 cycle motors can be supplied as 3 phase, 50 cycle at no extra cost.


Reversing Drum Switch is standard equipment on Underneath Motor driven lathes only, "U" and "E" type.

We recommend 1/2 H. P. motors for 10" lathes, 3/4 H. P. for bench type 11" lathes, and 1 H. P. for underneath drive 11" lathes and all 12" lathes. Underneath drive lathes will be furnished only with motors mounted at the factory. When motor is furnished by the customer, an installation charge of \$6.00 net will be made.

10 INCH LATHES with Underneath Drive

Model Number	DESCRIPTION	Price	Shipping Weight						
E-1026WQ 	as illustrated, mounted on four-drawer steel bench.								
	Price with reversing switch, less motor	E \$807.00	775 lbs.						
	Add for No. 374 motor, 3/4 H.P., 220/440 volt, 3 phase, 60 cycle; or No. 174 3/4 H.P., 110/220 volt, 1 phase, 60 cycle	F 48.00							
E-1026WQ 	lathe as illustrated, but mounted on pedestal base— Pedestal base as lathe on page 3.								
	Price with reversing switch, less motor	E 699.00	775 lbs.						
	Add for motor No. 374, 3/4 H.P., 220/440 volt, 3 phase, 60 cycle; or No. 174, 3/4 H.P., 110/220 volt, 1 phase, 60 cycle	F 48.00							
	Add for chip pan	E 31.20							
Other sizes similar to E-1026WQ mounted on pedestal base.—Motor price not included.									
E	Center	Bed Length	With semi-quick change gears Model No.	Price	With full quick change gears Model No.	Price	Add for Chip pan	Shipping Weight	
HAND FEED	20	38	E1020G	\$547.00	E1020GQ	\$614.00	\$26.40	687 lbs.	
	26	44	E1026G	571.00	E1026GQ	638.00	31.20	718 lbs.	
	42	62	E1042G	644.00	E1042GQ	711.00	36.00	804 lbs.	
POWER FEED	20	38	E1020W	608.00	E1020WQ	675.00	26.40	697 lbs.	
	26	44	E1026W	632.00	E1026WQ	699.00	31.20	728 lbs.	
	42	62	E1042W	705.00	E1042WQ	772.00	36.00	814 lbs.	
When "U" drive shown on page 5 of catalog is wanted change letter "E" to "U" and add prices to above								\$54.00	47 lbs.

10 INCH LATHES with Overhead Drive

Model Number	DESCRIPTION	Price	Shipping Weight
1026BMWQ 	as illustrated. Price does not include wood bench or motor and reversing switch	E \$558.00	450 lbs.
	Add for reversing switch	F 7.00	
	Add for motor No. 164, 1/2 H.P., 110/220 volt, 1 phase, 60 cycle	F 37.00	
	or motor No. 368, 1/2 H.P., 220/440 volt, 3 phase, 60 cycle	F 40.00	

Other similar bench type and floor type 10" lathes. All drives overhead as shown. Prices do not include motor or reversing switch. See price above for motor and switch, or page No. 4 of this price list.





E	Swing	Center	Bed Length	With semi-quick change gears Model No.	Price	With full quick change gears Model No.	Price	Add for Chip pan	Shipping Weight
HAND FEED Bench	10 1/8"	20"	38"	1020BM	\$405.00	1020BMQ	\$472.00		388 lbs.
	10 1/8"	26"	44"	1026BM	429.00	1026BMQ	496.00		435 lbs.
	10 1/8"	42"	62"	1042BM	502.00	1042BMQ	570.00		528 lbs.
HAND FEED Floor	10 1/8"	20"	38"	1020FM	427.00	1020FMQ	494.00	\$26.40	428 lbs.
	10 1/8"	26"	44"	1026FM	451.00	1026FMQ	518.00	31.20	475 lbs.
	10 1/8"	42"	62"	1042FM	524.00	1042FMQ	591.00	36.00	568 lbs.
POWER FEED Bench	10 1/8"	20"	38"	1020BMW	466.00	1020BMWQ	534.00		403 lbs.
	10 1/8"	26"	44"	1026BMW	490.00	1026BMWQ	558.00		450 lbs.
	10 1/8"	42"	62"	1042BMW	564.00	1042BMWQ	631.00		543 lbs.
POWER FEED Floor	10 1/8"	20"	38"	1020FMW	488.00	1020FMWQ	555.00	26.40	443 lbs.
	10 1/8"	26"	44"	1026FMW	512.00	1026FMWQ	579.00	31.20	490 lbs.
	10 1/8"	42"	62"	1042FMW	585.00	1042FMWQ	652.00	36.00	583 lbs.

SHELDON

12' LATHES WITH PEDESTAL BASE

As illustrated Page 5 of G-45 Catalog



(Prices do not include Motor)

E	Stock Number	Center Length	Bed Length	Price	Add for Chip Pan	Shipping Weight
	Pedestal Base and One Floor Leg, Underneath U type Drive, Tapered Roller Bearing Headstock					
	TRBU1248WQ	48"	70"	1101.00	42.00	1030 lbs.
	Same as illustrated, except length of bed.					
	TRBU1224WQ	24"	44"	992.00	31.20	890 lbs.
	TRBU1236WQ	35"	56"	1028.00	33.60	935 lbs.
	Same as illustrated, except Bronze Bearing Headstock.					
	U1224WQ	24"	44"	922.00	31.20	890 lbs.
	U1236WQ	35"	56"	958.00	33.60	935 lbs.
	U1248WQ	48"	70"	1031.00	42.00	1030 lbs.
	Pedestal Base and one floor leg, Underneath E type Drive, Tapered Roller Bearing Headstock.					
	TRBE1224WQ	24"	44"	938.00	31.20	839 lbs.
	TRBE1236WQ	36"	56"	974.00	33.60	888 lbs.
	TRBE1248WQ	48"	70"	1047.00	42.00	982 lbs.

12" LATHES





Not illustrated in G-45 Catalog

(Prices do not include Motor)

E	Stock Number	Center Length	Bed Length	Price	Add for Chip Pan	Shipping Weight
	Pedestal Base and one floor leg, Underneath E type Drive, Bronze Bearing Headstock.					
	E1224WQ	24"	44"	868.00	31.20	839 lbs.
	E1236WQ	36"	56"	904.00	33.60	888 lbs.
	E1248WQ	48"	70"	977.00	42.00	982 lbs.
	Lathe mounted on Steel Bench. (Bench illustrated on page 2 of G-45 catalog). E Underneath Motor Drive, Tapered Roller Bearing Headstock.					
	TRBE1224WQ	24"	44"	1046.00	Included on Bench	975 lbs.
	TRBE1236WQ	35"	56"	1100.00	Included on Bench	1025 lbs.

When U drive shown on page 5 of catalog is wanted change letter "E" to "U" and add to prices above E.....\$54.00

(The following prices do not include Motor and Switch)

	Bench Legs, Overhead Motor Drive, Bronze Bearing Headstock.					
	1224BMWQ	24"	44"	775.00		570 lbs.
	1236BMWQ	35"	56"	815.00		615 lbs.
	1248BMWQ	48"	70"	856.00		725 lbs.
	Bench Legs, Overhead Motor Drive, Tapered Roller Bearing Headstock.					
	TRB1224BMWQ	24"	44"	845.00		570 lbs.
	TRB1236BMWQ	35"	56"	885.00		615 lbs.
	TRB1248BMWQ	48"	70"	926.00		725 lbs.
	Floor Legs, Overhead Motor Drive, Bronze Bearing Headstock					
	1224FMWQ	24"	44"	809.00	31.20	650 lbs.
	1236FMWQ	35"	56"	850.00	33.60	700 lbs.
	1248FMWQ	48"	70"	889.00	42.00	810 lbs.
	Floor Legs, Overhead Motor Drive, Tapered Roller Bearing Headstock					
	TRB1224FMWQ	24"	44"	879.00	31.20	650 lbs.
	TRB1236FMWQ	35"	56"	920.00	33.60	700 lbs.
	TRB1248FMWQ	48"	70"	959.00	42.00	810 lbs.

Add for Motor 380 - 1 H.P., 220/440 volt, 3 phase, 60 cycle.....F.....\$56.00
 or Motor 180 - 1 H.P., 110/220 volt, 1 phase, 60 cycle.....F..... 60.00

SHELDON

Accessories for Sheldon Lathes

DESCRIPTION	10" LATHES		11" LATHES		12" LATHES	
	No.	Price	No.	Price	No.	Price
Bench, Steel Lathe, with 4 drawers (For lathes of 44" bed length or less)E	A1910	\$132.00	A1910	\$132.00	A1910	\$132.00
Bench, Steel Lathe, with 5 drawers (For lathes of 56" bed length)E	A1911	150.00	A1911	150.00	A1911	150.00
Book, "The Care and Operation of a Lathe" Paper cover.....505050
Fabricoid cover.....757575
Center, Crotch, No. 2 M.T.E	K223A	7.20	K223A	7.20	K223A	7.20
Center, Drill Pad, No. 2 M.T.E	K221A	7.20	K221A	7.20	K221A	7.20
Center, Lathe, Male 60°, No. 2 M.T.E	K42	1.80	K42	1.80	K42	1.80
Center, Lathe, Half Male, No. 2 M.T.E	S82	3.60	S82	3.60	S82	3.60
Center, Lathe, Female, No. 2 M.T.E	K274	3.60	K274	3.60	K274	3.60
Center, Live,E	A1908	20.00	A1908	20.00	A1908	20.00
Chucks, Center Rest ¼"-¾" Cap. with #2 M.T. Arbor.....F	100	11.00	100	11.00	100	11.00
Chucks, Drill, 3 Jaw, 0-½" with 2 MT Arbor F	34	8.50	34	8.50	34	8.50
Chucks, Drill, 3 Jaw, ¾"-¾" with 2 MT Arbor F	36	13.00	36	13.00	36	13.00
Chucks, Indep., 4 Jaw, 6", fitted to lathe ...F	64	60.60	64	60.60	64	60.60
Chucks, Indep., 4 Jaw, 8", fitted to lathe ...F	84	69.40	84	69.40
Chucks, Indep., 4 Jaw, 10", fitted to lathe ...F	104	85.90
Chucks, spindle with hollow arbor ⅛" to ¾" capacityF	18	21.00	18	21.00	18	21.00
Chucks, Univ., 3 Jaw, 5", fitted to latheF	53	67.20	53	67.20	53	67.20
Chucks, Univ., 3 Jaw, 6", fitted to latheF	63	76.00	63	76.00	63	76.00
Chucks, Univ., 3 Jaw, 8", fitted to latheF	83	92.50	83	92.50
Collet Attachment, Handwheel Type ¾" cap..E	L462A	30.00
Collet Attachment, Handwheel Type 1" cap..E	S462A	60.00	M462A	60.00
Collet Attachment, Hand Lever Type ¾" cap.E	L462H	144.00
Collet Attachment, Hand Lever Type 1" cap..E	S462H	180.00	M462H	180.00
Collets, Round, ⅛" to ¾" Incl. (ea.)F	4C	4.25
Collets, Round, ¼", ⅜", ½", ¾" (ea.)F	4C	4.75
Collets, Hex, ⅛" to 2½" Incl. (ea.)F	4C	7.25
Collets, Square, ⅛" to 1½" Incl. (ea.)F	4C	7.25
Collets, Round, ⅛" to 1" Incl. (ea.)F	5C	4.75	5C	4.75
Collets, Round, ¼", ⅜", ½", ¾" (ea.)F	5C	5.25	5C	5.25
Collets, Hex, ⅛" to 7⁄8", Incl. (ea.)F	5C	7.75	5C	7.75
Collets, Square, ⅛" to 2½", Incl. (ea.)F	5C	7.75	5C	7.75
Collet Rack, Wood (for Steel Bench Drawer) E	S36	6.00	S36	6.00
Collet Rack, for 4-C ColletsE	KB647-4	18.00
Collet Rack, for 5-C ColletsE	KB647-5	18.00	KB647-5	18.00
Dog, Bent Tail, ⅜".....E	101	.65	101	.65	101	.65
Dog, Bent Tail, ½".....E	201	.70	201	.70	201	.70
Dog, Bent Tail, ¾".....E	301	.80	301	.80	301	.80
Dog, Bent Tail, 1".....E	401	1.00	401	1.00	401	1.00
Dog, Bent Tail, 1¼".....E	501	1.10	501	1.10	501	1.10
Dog, Bent Tail, 1½".....E	601	1.15	601	1.15	601	1.15
Dog, Lathe, Clamp Type, 1¾" CapE	11	3.00	11	3.00	11	3.00
Dog, Lathe, Clamp Type, 2¼" CapE	12	4.00	12	4.00	12	4.00
Grinder, Tool PostF	44	118.00	44	118.00	44	118.00
Grinder, Tool PostF	11	84.50	11	84.50	11	84.50
Grinder, Tool Post, Ext. & Int. with case.....F	14	39.50	14	39.50	14	39.50

SHELDON

Accessories for Sheldon Lathes

DESCRIPTION	10" LATHES		11" LATHES		12" LATHES	
	No.	Price	No.	Price	No.	Price
Lamp, Lathe for 110 Volt	F A1909	\$14.40	A1909	\$14.40	A1909	\$14.40
Milling and Keyway Cutting Attachment . . .	E L411A	60.00	K411A	60.00	M411A	60.00
Motors See Page 3.	F
Motor Drive, Overhead, Less Electrical	E L400A	60.00	K400A	66.00	M400A	72.00
Plate, Chuck, Semi-Fitted (to Spindle only) .	E †	5.40	†	5.40	†	5.40
Plate Large Face,	E K183	7.20	LT183	8.40	KT184	8.40
§Pump, Coolant, 1/8 H.P. 220-3-60	F A1906	96.00	A1906	96.00	A1906	96.00
Pump, Coolant, Portable	F A1907	114.00	A1907	114.00	A1907	114.00
Racks or Holders, Plywood accessory to fit in drawers of steel bench. Set of four	E	S3640	21.00
Rest, Follower.	E L209A	6.00	K209A	7.20	M209A	7.20
Rest, Steady.	E L576A	10.80	K575A	12.00	M575A	12.00
Rest, Wood Turning Set	E L281A	12.00	K281A	12.00	M281A	18.00
Stop, Carriage, Plain	E K908A	3.60	K908A	3.60	K908A	3.60
Stop, Micrometer Carriage,	E K693A	15.60	K693A	15.60	K693A	15.60
Stop, Thread Cutting	E K870A	3.60	K870A	3.60	K870A	3.60
Switches—Reversing—	F
Drum Switch for single phase operation. . .	F R-1-A	7.00	R-1-A	7.00	R-1-A	7.00
Switches—Reversing—	F
Drum Switch for three phase operation . . .	F R4	7.00	R4	7.00	R4	7.00
Taper Attachment, Plain	E LT210A	90.00	KT210A	90.00	MT210A	90.00
Taper Attachment, Telescopic	E LTT210A	156.00	KIT210A	156.00	MTT210A	156.00
Tailstock, Hand Lever in lieu of regular Tailstock	E L72H	78.00	K72H	78.00	M72H	78.00
Tool Holders Turning, Straight	E O-S	3.80	O-S	3.80	1-S	4.30
Tool Holders Turning, Right Hand Offset . . .	E O-R	3.80	O-R	3.80	1-R	4.30
Tool Holders Turning, Left Hand Offset	E O-L	3.80	O-L	3.80	1-L	4.30
Tool Holders Cutting Off, Straight	E 20	4.00	20	4.00	21	4.50
Tool Holders Cutting Off, Right Hand Offset .	E 30-R	4.00	30-R	4.00	31-R	4.50
Tool Holders Cutting Off, Left Hand Offset . .	E 30-L	4.00	30-L	4.00	31-L	4.50
Tool Holders, Boring Tool	E 8	6.50	8	6.50	9	7.70
Tool Holders, 3-Bar Boring Tool	E O-BB	18.65	O-BB	18.65	O-BB-12	24.00
Tool Holders, Knurling Tool	E O-K	8.00	O-K	8.00	1-K	9.00
Tool Holders, Knurling Tool with Rev. Head .	E 3-K-O	10.60	3-K-O	10.60	3-K-1	12.00
Tool Holders, Extra Knurls pair	E °	1.65	°	1.65	°	1.50
Tool Holders, Threading Tool	E 50	5.50	50	5.50	51	6.65
Extra Single Point Thread Cutters	E †	3.50	†	3.50	†	4.20
Extra Turning Tool Cutter Bits (ea.)	E 1/4" sq.	.20	1/4" sq.	.20	3/16" sq.	.35
•Extra Turning Tool Cutter Bits (grd. to form)	E 1/4" sq.	.30	1/4" sq.	.30	3/16" sq.	.45
Extra Cutting-Off Blades (ea.)	E 3/32" x 5/8"	1.00	3/32" x 5/8"	1.00	1/8" x 3/4"	1.50
Extra Boring Bits (ea.)	E 3/16" sq.	.10	3/16" sq.	.10	1/4" sq.	.12
Tool Post, Double, with compound in front . .	E L660A	168.00	K660A	168.00	M660A	168.00
Tool Post, Double, without compound	E L664A	132.00	K664A	132.00	M664A	132.00
Turret, 4-Way Tool Post, 12 Position, Self-Indexing	E A1967	43.50	A1968	43.50	A1969	43.50
Turret, Bed, Hand Lever Type 5/8" capacity .	F A1900	325.00	A1900	325.00	A1900	325.00
Turret, Bed, Hand Wheel Type 1" capacity, 4 1/4" stroke.	E A1970	295.00	A1971	295.00	A1972	295.00
Turret, Bed, Hand Wheel Type, 1" capacity, 6 1/2" stroke.	E A2010	370.00	A2011	370.00	A2012	370.00

†Specify O. D. Required and Size of Spindle O.D.
 §Includes pipe, and fittings. On other motor characteristics write for prices.
 °Specify coarse, medium, or fine, and standard or full face.
 †Specify exact pitch or number of threads per inch.
 •Specify shape required.



Horizontal Milling Machine

STOCK NO.	F	DESCRIPTION	PRICE, EACH
3000P		Size 0 Milling Machine, mounted on pedestal, equipped with POWER FEED, completely arranged for motor drive, less motor and electrical equipment. Includes two-step cone motor pulley, motor bracket and fully enclosed variable speed unit with hand-wheel control mounted on side of pedestal	\$ 888.00

Accessories

STOCK NO.	F	DESCRIPTION	PRICE, EACH
9001		3/4" Arbor—Collars, Draw Bar and Wrench	36.00
9002		3/8" Arbor—Collars, Draw Bar and Wrench	36.00
9003		1" Arbor—Collars, Draw Bar and Wrench	36.00
9025A		No. 9—B&S Spring Collet, Straight Hole—1/8" to 3/4" inclusive, each	10.00
9028		4" Swivel Base Vise and Wrench	43.00
9013		Universal Vertical Milling Attachment	156.00
9013-10		Spring Collet, for above, 1/8" to 1/2", inclusive	7.50
9039		Universal Dividing Head	150.00
9029-38		Draw Bar for 9039 Universal Dividing Centers (Use collet #9025A)	5.00
53		Universal 3 Jaw, 5 inch Chuck fitted for Dividing Head	67.20
9015		Coolant System with Motor	102.00
9014		Drip Pot Oiler	18.00
180		1 H.P., 110/220 Volt, 1 Phase, 60 Cycle Motor, 1725 RPM	60.00
380		1 H.P., 220/440 Volt, 3 Phase, 60 Cycle Motor, 1725 RPM.	56.00
A1701		Reversing Drum Switch for Single Phase Operation	7.00
A1700		Reversing Drum Switch for Three Phase Operation	7.00

Vertical Milling Machine and Jig Borer

STOCK NO.	F	DESCRIPTION	PRICE, EACH
6000		Vertical Milling Machine	1,110.00

Accessories

STOCK NO.	F	DESCRIPTION	PRICE, EACH
9021		Boring Head	45.00
9016		Set of Dial Indicators and Measuring Rods	150.00
9023		7" Rotary Table	150.00
9028		4" Swivel Base Vise and Wrench	43.00
9025B		No. 7—B&S Spring Collet, Straight Hole—1/8" to 1/2" inclusive, each	7.50
164		1/2 H.P., 110/220 Volt, 1 Phase, 60 Cycle Motor, 1725 RPM	37.00
368		1/2 H.P., 220/440 Volt, 3 Phase, 60 Cycle Motor, 1725 RPM	40.00
A1701		Reversing Drum Switch for Single Phase Operation	7.00
A1700		Reversing Drum Switch for Three Phase Operation	7.00

12 Inch Shaper

STOCK NO.	F	DESCRIPTION	PRICE, EACH
8000		12" Backgeared Shaper	1,530.00

Accessories

STOCK NO.	F	DESCRIPTION	PRICE, EACH
380		1 H.P., 220/440 Volt, 3 Phase Motor, 1725 R.P.M.	56.00
180		1 H.P., 110/220 Volt, 1 Phase, 60 Cycle Motor, 1725 RPM	60.00
A1702		Start and Stop Switch	7.00